



SUGAR INDUSTRY

 MADE IN ITALY

 **REGGIANA
RIDUTTORI**
PLANETARY REDUCTION **GEARS**



OUR DRIVES

FOR THE SUGAR INDUSTRY

With over 600 Mill & PF installations worldwide and a multitude of installed drives all over the sugar process, Reggiana Riduttori is one of the world's leading companies in the design and manufacture of gearboxes for a wide variety of power transmission applications for the Sugar industry. Reggiana Riduttori has proven the highest standards in engineering, innovation, quality and state of the art manufacturing with years of service to the sugar industry with great results.

*Con oltre 600 installazioni e una moltitudine di impianti serviti in tutto il mondo, Reggiana Riduttori è leader nella progettazione e produzione di riduttori **per tutte le applicazioni nell'industria della produzione dello zucchero.** Reggiana Riduttori ha dato prova di aderire ai più alti standard nella progettazione, innovazione e qualità, attestati da anni di esperienza al servizio degli zuccherifici.*

COMPLETE DRIVE SYSTEMS, TURN KEY SOLUTION PROVIDER

WORLDWIDE TRAINING, COMMISSIONING AND AFTER SALES SERVICES

APPLICATIONS THROUGH ALL THE PROCESS FROM CANE FIELDS TO SUGAR BAGGING

DEDICATED SUGAR TECHNOLOGY TEAM & APPLICATION ENGINEERS


OUR RANGE

FOR THE SUGAR PROCESSING

DEDICATED SOLUTIONS

FOR THE SUGAR PROCESSING

model	T ₂ ReF [Nm]	P REF [Kw]
RR10000	140.000	90
RR15000	200.000	130
RR20000	300.000	190
RR25000	410.000	260
RR40000	575.000	360
RR55000	750.000	470
RR70000	850.000	530
RR85000	950.000	600
RR110000	1.350.000	850
RR150000	1.800.000	1.130
RR190000	2.500.000	1.570
RR240000	3.500.000	2.200
RR300000	4.570.000	2.870
RR400000	6.230.000	3.910
RR500000	7.580.000	4.760



■ RR/RA

T₂max Nm=1,200-10,000,000

Ratio=3.4-5061

Modular planetary reduction gears.




■ P/RH/RV & Combined

T₂max Nm=2.500-4.300.000

Ratio=1,12-5061

Helical and bevel helical line, combined units.



■ FOOT MOUNTED DRIVES

MODULAR

Design for easy assembly and reduced inventory.

EASY FITTING


Faster mounting and installation.

EFFICIENT

Higher weight to torque ratio makes highest efficiency.

DURABLE

Longer service life and durability.



■ SHAFT MOUNTED DRIVES

LESS COMPONENTS

Elimination of tail bar or rope coupling hence free floating top roller.

FLEXIBILITY

Variable rollers speed.

SMART ASSEMBLY

NO MISALIGNMENT

EXTENDED LIFE OF COMPONENTS

Rduced stress on headstock and bearings.





TRANSMISSION SYSTEMS FOR MILLING




MILLS - SHAFT MOUNTED DRIVES SYSTEM

- **LESS CIVIL WORKS**
Smaller footprint for milling tandem.
- **REDUCTION OF STRESSES**
- 35% of mill headstock stress.
- 50% of mill rollers stress.
- **VARIABLE MILL ROLLER SPEED**
Hence better extraction, better torque control, flexibility on mill setting and crushing rate.
- **SUSTAINABLE**
Lowest power consumption rate per ton of fiber for milling.
- **REVERSIBLE MOVEMENT**
great advantage during mill chocking.

MILLS - FOOT MOUNTED DRIVES SYSTEM

- **DYNAMIC**
Efficient design to absorb torque variation in milling process.
- **IDEAL FOR PLANT REVAMPING AND UPGRADING**
Compact footprint allows easy retrofit on existing installations without major foundation work.
- **COMPLETE DRIVE RANGE**
From 30Kw to 2000Kw.

RR/RA series




Edrives

**SHAFT MOUNTED
40% COST SAVING**
FOR THE ENTIRE MILL FOUNDATION

TAYLOR FIT FOR YOUR NEED
MILL SIZE COVERED FROM 100TCD UP TO 30.000TCD


APPLICATIONS FOR SUGAR PROCESSING

DIFFUSER



■ **RR/RA series**
foot / shaft mounted

CRYSTALLIZER



■ **RR/RA series**
foot / shaft mounted






GLOBAL

SALES NETWORK

- MASTER DISTRIBUTOR
- BRANCH



www.reggianariduttori.com

REGGIANA RIDUTTORI S.r.l.

Via Martiri di Marzabotto,7
42020 - S. Polo d'Enza (RE) - ITALY
tel. +39.0522.259111 - fax +39.0522.874321
info@reggianariduttori.com



A member of



 **REGGIANA
RIDUTTORI**
PLANETARY REDUCTION **GEARS**